SAFETY DATA SHEET

Ceramic Wax

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Ceramic Wax

Unique formula identifier (UFI): K22W-EA25-0P0A-P0FY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture: None known.
Restricted to professional users.

Uses advised against : None known.

1.3. Details of the supplier of the safety data sheet

Company and address:

BKF Sp. z o.o.
Skarbimierzyce 22
72-002 Dołuje
Poland
bkfmyjnie.pl

Distributor:

BKF Sp. z o.o.
Skarbimierzyce 22
72-002 Dołuje Poland
bkfmyjnie.pl

E-mail: info@bkfmyjnie.pl

Revision: 10/12/2024

SDS Version: 1.0

1.4. Emergency telephone number

Poison centers.
Gdansk: Pomerania Center of Toxicology. Tel: (48) 58 682 04 04
Krakow: Toxicological Information Center. Tel: (48) 12 411 99 99
Lòdz: National Poisons Information Centre. Tel: (48) 42 63 14 724
Warszawa: Warsaw Poison Information and Control Centre. Tel: (48) 22 619 66 54
Wroclaw: Lower Silesian Poisons and Toxicological Information Centre. Tel: (48) 71 306 44 19

*European emergency number: 112

See section 4 on first aid measures.

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

2.2. Label elements

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s): Causes serious eye irritation. (H319)

Precautionary statement(s):

General: -

Prevention: Wear eye protection. (P280)

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage: -

Disposal: -

Hazardous substances: None known.

Additional labelling:

UFI: K22W-EA25-0P0A-P0FY

2.3. Other hazards

Additional warnings: This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
2-(2-butoxyethoxy)ethanol	CAS No.: 112-34-5 EC No.: 203-961-6 REACH: 01-2119475104-44-XXXX Index No.: 603-096-00-8	15-25%	Eye Irrit. 2, H319	[1], [3]
1-Propanaminium, 2-hydroxy-N-(2-hydroxypropyl)-N,N-dimethyl-, diesters with vegetable-oil fatty acids,	CAS No.: 95009-13-5 EC No.: 305-741-6 REACH: Index No.:	5-10%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	

Me sulfates (salts)				
isopropanol	CAS No.: 67-63-0 EC No.: 200-661-7 REACH: 01-2119457558-25-XXXX Index No.: 603-117-00-0	3-5%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me, methoxy-terminated	CAS No.: Confidential EC No.: 600-354-1 REACH: Index No.:	1-3%	Skin Irrit. 2, H315	[19]
acetic acid	CAS No.: 64-19-7 EC No.: 200-580-7 REACH: 01-2119475328-30-XXXX Index No.: 607-002-00-6	<1%	Flam. Liq. 3, H226 Skin Corr. 1A, H314 (SCL: 90.00 %) Skin Corr. 1B, H314 (SCL: 25.00 %) Skin Irrit. 2, H315 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 10.00 %)	[1]
α-hexylcinnamaldehyde	CAS No.: 101-86-0 EC No.: 202-983-3 REACH: Index No.:	<0.1%	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
d-limonene	CAS No.: 5989-27-5 EC No.: 227-813-5 REACH: 01-2119529223-47-XXXX Index No.: 601-096-00-2	<0.05%	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	
linalool	CAS No.: 78-70-6 EC No.: 201-134-4 REACH: 01-2119474016-42-XXXX Index No.: 603-235-00-2	<0.05%	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319	
geraniol	CAS No.: 106-24-1 EC No.: 203-377-1 REACH: 01-2119552430-49-XXXX Index No.: 603-241-00-5	<0.05%	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318	
benzyl salicylate	CAS No.: 118-58-1 EC No.: 204-262-9 REACH: 01-2119969442-31-XXXX Index No.: 607-754-00-5	<0.05%	Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.
[3] According to REACH, Annex XVII, the substance is subject to restrictions.
[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.
Eye contact:	If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous

decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.
Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.
Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:	Keep only in original packaging.
Storage conditions:	5 - 30°C Dry, cool and well ventilated
Incompatible materials:	Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

2-(2-butoxyethoxy)ethanol
Short term exposure limit (15 minutes) (mg/m^3): 100

Long term exposure limit (8 hours) (mg/m³): 67

isopropanol
Short term exposure limit (15 minutes) (mg/m³): 1200
Long term exposure limit (8 hours) (mg/m³): 900
Annotations:
"Skóra" = Skinabsorption can be as important as from exposure by inhalation

acetic acid
Short term exposure limit (15 minutes) (mg/m³): 50
Long term exposure limit (8 hours) (mg/m³): 25

Regulations of the Minister of Family, Labor and Social Policy of June 12, 2018 regarding the highest allowable concentrations and intensities of factors harmful to health in the work environment (Journal of Laws 2018 item 1286)

DNEL

2-(2-butoxyethoxy)ethanol

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	67.5 mg/m³
Short term – Local effects - Workers	Inhalation	101.2 mg/m³
Long term – Systemic effects - General population	Oral	6.25 mg/kg bw/day

acetic acid

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	25 mg/m³
Long term – Local effects - Workers	Inhalation	25 mg/m³
Short term – Local effects - General population	Inhalation	25 mg/m³
Short term – Local effects - Workers	Inhalation	25 mg/m³

benzyl salicylate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	790 µg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2.21 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.37 mg/m³
Long term – Systemic effects - Workers	Inhalation	7.8 mg/m³
Long term – Systemic effects - General population	Oral	790 µg/kg bw/day

d-limonene

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	4.8 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	9.5 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	16.6 mg/m³
Long term – Systemic effects - Workers	Inhalation	66.7 mg/m³
Long term – Systemic effects - General population	Oral	4.8 mg/kg bw/day

geraniol

Duration:	Route of exposure:	DNEL:

Long term – Local effects - General population	Dermal	1.18 mg/cm²
Long term – Local effects - Workers	Dermal	11.8 mg/cm²
Long term – Systemic effects - General population	Dermal	2.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	4.2 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	3.5 mg/m³
Long term – Systemic effects - Workers	Inhalation	11.8 mg/m³
Long term – Systemic effects - General population	Oral	2 mg/kg bw/day

isopropanol

Duration:	**Route of exposure:**	**DNEL:**
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m³
Long term – Systemic effects - Workers	Inhalation	500 mg/m³
Short term – Systemic effects - General population	Inhalation	178 mg/m³
Short term – Systemic effects - Workers	Inhalation	1000 mg/m³
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day
Short term – Systemic effects - General population	Oral	51 mg/kg bw/day

linalool

Duration:	**Route of exposure:**	**DNEL:**
Long term – Local effects - General population	Dermal	1.5 mg/cm²
Long term – Local effects - Workers	Dermal	3 mg/cm²
Long term – Systemic effects - General population	Dermal	1.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	3.5 mg/kg bw/day
Short term – Local effects - General population	Dermal	1.5 mg/cm²
Short term – Local effects - Workers	Dermal	3 mg/cm²
Long term – Systemic effects - General population	Inhalation	4.33 mg/m³
Long term – Systemic effects - Workers	Inhalation	24.58 mg/m³
Long term – Systemic effects - General population	Oral	2.49 mg/kg bw/day

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		1.1 mg/L
Freshwater sediment		4.4 mg/kg
Intermittent release (freshwater)		11 mg/L
Marine water		110 µg/L
Marine water sediment		440 µg/kg
Predators		56 mg/kg
Soil		320 µg/kg

acetic acid

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		3.058 mg/L
Freshwater sediment		11.36 mg/kg
Intermittent release (freshwater)		30.58 mg/L
Marine water		305.8 µg/L
Marine water sediment		1.136 mg/kg
Sewage treatment plant		85 mg/L
Soil		470 µg/kg

benzyl salicylate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		1.03 µg/L
Freshwater sediment		583 µg/kg
Intermittent release (freshwater)		10.3 µg/L
Marine water		103 ng/L
Marine water sediment		58.3 µg/kg
Predators		52.7 mg/kg
Sewage treatment plant		10 mg/L
Soil		1.41 mg/kg

d-limonene

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		14 µg/L
Freshwater sediment		3.85 mg/kg
Marine water		1.4 µg/L
Marine water sediment		385 µg/kg
Predators		133 mg/kg
Sewage treatment plant		1.8 mg/L
Soil		763 µg/kg

geraniol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		10.8 µg/L
Freshwater sediment		115 µg/kg
Intermittent release (freshwater)		108 µg/L
Marine water		1.08 µg/L
Marine water sediment		11.5 µg/kg
Sewage treatment plant		700 µg/L
Soil		16.7 µg/kg

isopropanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L

Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

linalool

Route of exposure:	**Duration of Exposure:**	**PNEC:**
Freshwater		200 µg/L
Freshwater sediment		2.22 mg/kg
Intermittent release (freshwater)		2 mg/L
Marine water		20 µg/L
Marine water sediment		222 µg/kg
Predators		7.8 mg/kg
Sewage treatment plant		10 mg/L
Soil		327 µg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations: Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios: There are no exposure scenarios implemented for this product.

Exposure limits: Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures: In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure: No specific requirements.

Individual protection measures, such as personal protective equipment

Generally: Use only CE marked protective equipment.

Respiratory Equipment:

Type	**Class**	**Colour**	**Standards**	
No special when used as intended.				

Skin protection:

Recommended	Type/Category	Standards	
No special when used as intended.	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	

Eye protection:

Type	Standards	
Safety glasses	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Orange

Odour / Odour threshold: No relevant or available data due to the nature of the product.

pH: No relevant or available data due to the nature of the product.

Density (g/cm^3): No relevant or available data due to the nature of the product.

Kinematic viscosity: No relevant or available data due to the nature of the product.

Particle characteristics: Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C): No relevant or available data due to the nature of the product.

Softening point/range (°C): Does not apply to liquids.

Boiling point (°C): No relevant or available data due to the nature of the product.

Vapour pressure: No relevant or available data due to the nature of the product.

Relative vapour density: No relevant or available data due to the nature of the product.

Decomposition temperature (°C): No relevant or available data due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C): No relevant or available data due to the nature of the product.

Flammability (°C): No relevant or available data due to the nature of the product.

Auto-ignition temperature (°C):	No relevant or available data due to the nature of the product.
Lower and upper explosion limit (% v/v):	No relevant or available data due to the nature of the product.

Solubility

Solubility in water:	No relevant or available data due to the nature of the product.
n-octanol/water coefficient (LogKow):	No relevant or available data due to the nature of the product.
Solubility in fat (g/L):	No relevant or available data due to the nature of the product.

9.2. Other information

Other physical and chemical parameters:	No data available.
Oxidizing properties:	No relevant or available data due to the nature of the product.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity
No data available.

10.2. Chemical stability
The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. Possibility of hazardous reactions
None known.

10.4. Conditions to avoid
None known.

10.5. Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products
Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity
Based on available data, the classification criteria are not met.

Skin corrosion/irritation
Based on available data, the classification criteria are not met.

Serious eye damage/irritation
Causes serious eye irritation.

Respiratory sensitisation
Based on available data, the classification criteria are not met.

Skin sensitisation
Based on available data, the classification criteria are not met.

Germ cell mutagenicity
Based on available data, the classification criteria are not met.

Carcinogenicity
Based on available data, the classification criteria are not met.

Reproductive toxicity
Based on available data, the classification criteria are not met.

STOT-single exposure
Based on available data, the classification criteria are not met.

STOT-repeated exposure
Based on available data, the classification criteria are not met.

Aspiration hazard
Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects
Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Endocrine disrupting properties
This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information
isopropanol has been classified by IARC as a group 3 carcinogen.
d-limonene has been classified by IARC as a group 3 carcinogen.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity
No data available.

12.2. Persistence and degradability
Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential
Based on available data, the classification criteria are not met.

12.4. Mobility in soil
No data available.

12.5. Results of PBT and vPvB assessment
This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties
This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects
None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods
Product is covered by the regulations on hazardous waste.

HP 4 - Irritant (skin irritation and eye damage)
Dispose of contents/container to an approved waste disposal plant.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code: Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

Additional information

Not dangerous goods according to ADR, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: Restricted to professional users.

Demands for specific education: No specific requirements.

SEVESO - Categories / dangerous substances: Not applicable.

REACH, Annex XVII: 2-(2-butoxyethoxy)ethanol is subject to REACH restrictions (entry 55).
isopropanol is subject to REACH restrictions (entry 40).
acetic acid is subject to REACH restrictions (entry 40).
d-limonene is subject to REACH restrictions (entry 40).

Additional information: Not applicable.

Sources: Laws 2017 item 796 Regulation of the Council of Ministers of 3 April 2017 on the list of burdensome, dangerous or harmful work to the health of pregnant women and women breastfeeding a child.
Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.
H226, Flammable liquid and vapour.
H314, Causes severe skin burns and eye damage.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H336, May cause drowsiness or dizziness.
H400, Very toxic to aquatic life.
H410, Very toxic to aquatic life with long lasting effects.
H411, Toxic to aquatic life with long lasting effects.
H412, Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

Regulatory Affairs

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product.
Information in this safety data sheet cannot be used as a product specification.
Country-language: PL-en